

GLASS KILNS PRICE LIST

120 VOLT FRONT LOADING GLASS FUSING KILNS

| MODEL | Pyrometer | 3 Key Controller | RTC-1000 Controller 12 Key | Inside WxDxH @ Peak (inches) | Cu. Ft. | Outside WxH (inches) | Max Temp | Amps 240/208 | Volts | Watts | Breaker Required | Ground/FRT Ship Wt. Lbs. |
|-----------------|-----------|------------------|----------------------------|------------------------------|---------|----------------------|----------|--------------|-------|-------|------------------|--------------------------|
| ANNEALER | \$755 | \$905 | \$1,005 | 24x8x6 | 0.67 | 29.5x16x16.5 | 1700°F | 15 | 120 | 1,800 | 20 | 80/128 |
| 1210FL | \$915 | \$1,065 | \$1,165 | 12x12x10 | 0.83 | 17x18.5x23 | 1700°F | 15 | 120 | 1,800 | 20 | 120/FRT |
| 129FL/Bead Door | \$742 | \$917 | \$1,017 | 11.25x9x9.75 | 0.48 | 23.5x14x22.5 | 1700°F | 15 | 120 | 1,800 | 20 | 75/110 |
| 139FL/Bead Door | \$772 | \$947 | \$1,047 | 12.5x9x7.75 | 0.49 | 23.5x14x20.5 | 1700°F | 15 | 120 | 1,800 | 20 | 75/110 |

A bead door is included on all glass front loading kilns in the door and is used for annealing beads or small objects. It measures 4" wide x 3" high, excluding the 1210FL, which has a punty door that opens to the kiln's width. Please specify top or bottom hinged for front loading kilns when ordering. Guillotine Lift Option – add \$155.00 to the price of the kiln. Front loading kilns with the guillotine lift ship via freight lines.

120 VOLT GLASS FUSING & PMC KILNS

| MODEL | Pyrometer | 3-Key Controller | Inside WxD (inches) | Cu. Ft. | Outside W x D x H (inches) | Max Temp | Amps | Volts | Watts | NEMA Receptacle | Breaker Required | Ground Ship Wt. Lbs. |
|--------------|-----------|------------------|---------------------|---------|----------------------------|--|------|-------|-------|-----------------|------------------|----------------------|
| HOTSIE | \$395 | \$575 | 8x8x4.5 | 0.17 | 17.5x13x12 1/8 | 1800°F | 15 | 120 | 1,800 | 5-15 | 20 | 30 ground |
| HB84 | \$460 | \$635 | 8x8x4.5 | 0.17 | 17.5x13.5x13 | 2350°F | 15 | 120 | 1,800 | 5-15 | 20 | 40 ground |
| Happy Clam | \$725 | \$900 | 8x8x6.5 | 0.24 | 17.5x19.25x18 | 2350°F | 15 | 120 | 1800 | 5-15 | 20 | 60 ground |
| HB86 | \$470 | \$645 | 8x8x6.5 | 0.24 | 17.5x17x16.5 | 2350°F | 15 | 120 | 1,800 | 5-15 | 20 | 52 ground |
| Bead Collar | \$135 | \$135 | 8x8x4.5 | 0.17 | 13x13x4.5 | Bead Collar reduces temperature to 2000°F | | | | | 23 ground | |
| Blank Collar | \$120 | \$120 | 8x8x4.5 | 0.17 | 13x13x4.5 | Blank Collar reduces temperature to 2000°F | | | | | 23 ground | |

| MODEL | Pyrometer | 3-Key Controller | RTC-1000 Controller | Inside WxDxH (inches) | Cu. Ft. | Outside WxDxH (inches) | Max Temp | Amps | Volts | Watts | NEMA Receptacle | Breaker Required | Ground/FRT Ship Wt. Lbs. |
|----------------|-----------|------------------|---------------------|-----------------------|---------|------------------------|----------|------|-------|-------|-----------------|------------------|--------------------------|
| 126GF | \$480 | \$630 | \$730 | 11.25x6 | 0.38 | 23x26.5 | 1700°F | 15 | 120 | 1,800 | 5-15 | 20 | 90 Ground |
| 126 LITE | \$450 | \$600 | \$700 | 12.5x12.5x6 | 0.54 | 19.5x16x20 | 1700°F | 15 | 120 | 1,800 | 5-15 | 20 | 60 Ground |
| 146GF | \$560 | \$710 | \$810 | 14.5x6 | 0.62 | 28.5x29 | 1700°F | 15 | 120 | 1,800 | 5-15 | 20 | 107 Ground |
| 146GF TLC* | \$720 | \$870 | \$970 | 14.5x14.5x6 | 0.62 | 28.5x32x29 | 1700°F | 15 | 120 | 1,800 | 5-15 | 20 | 180 FRT |
| SQUARE 146GF | \$640 | \$790 | \$890 | 14.5x6 | 0.73 | 24x29 | 1700°F | 15 | 120 | 1,800 | 5-15 | 20 | 128 Ground |
| 186GF | \$745 | \$895 | \$995 | 17.5x6 | 0.88 | 32x33 | 1700°F | 16 | 120 | 1,920 | 5-20 | 20 | 205 FRT |
| 186GF TLC* | \$905 | \$1,055 | \$1,155 | 17.5x6 | 0.88 | 32x32x33 | 1700°F | 16 | 120 | 1,920 | 5-20 | 20 | 228 FRT |
| The Traveler | \$775 | \$950 | \$1,050 | 11.5x11.5x11 | 0.84 | 23x19x47.25 | 2000°F | 15 | 120 | 1,800 | 5-20 | 20 | 168 FRT |
| Square 186GF** | \$1,100 | \$1,250 | \$1,350 | 18x18x6 | 1.1 | 32x26x32 | 1700°F | 16 | 120 | 1,920 | 5-20 | 20 | 195 FRT |

There is an \$18.00 packing charge on all kilns shipping by ground.

*Crating charges apply to all TLC kilns.

** Square 186GF is built with 3" brick and if optional quartz porthole of bead door is added, maximum temperature 1400°F.

240/208 VOLT GLASS FRONT LOADING KILNS

| MODEL | Pyrometer | 3-Key Controller | RTC-1000 Controller 12 Key | Inside WxDxH (inches) | Cu. Ft. | Outside WxDxH (inches) | Max Temp | Amps 240/208 | Volts | Watts | NEMA Receptacle | Breaker Required | Ship Wt. Lbs. |
|---------------------|-----------|------------------|----------------------------|-----------------------|---------|------------------------|----------|--------------|---------|-------|-----------------|------------------|---------------|
| 1214FL w/ Bead Door | \$832 | \$1,007 | \$1,107 | 11.25x13.5x9.75 | 0.72 | 23.5x18.5x22.5 | 1700°F | 13/15 | 240/208 | 3,120 | 6-30 | 20 | 123 |
| 149FL w/Bead Door | \$947 | \$1,122 | \$1,222 | 14.5x9x10 | 0.93 | 26.5x14x22.5 | 1700°F | 15/17 | 240/208 | 3,600 | 6-30 | 20/30 | 143 |
| 1414FL w/Bead Door | \$1,027 | \$1,202 | \$1,302 | 14.5x13.5x10 | 1.4 | 26.5x18.5x22.5 | 1700°F | 15/17 | 240/208 | 3,600 | 6-30 | 20/30 | 160 |
| 1818FL w/Bead Door | \$1,167 | \$1,342 | \$1,442 | 17.5x18x12 | 1.95 | 30.5x23x22.5 | 1700°F | 21/24 | 240/208 | 5,040 | 6-30 | 30 | 195 |
| 1823FL w/ Bead Door | \$1,322 | \$1,497 | \$1,597 | 17.5x22.5x12 | 2.44 | 30.5x27x22.5 | 1700°F | 26/30 | 240/208 | 6,240 | 6-50 | 40 | 270 |

A 4" x 3" bead door is included on all glass front loading kilns in the door and is used for annealing beads or small objects.

Please specify top or bottom hinged for front loading kilns when ordering. Guillotine Lift Option – add \$155.00 to the price of the front loading kiln.

240/208 VOLT GLASS FUSING KILNS

| MODEL | Pyrometer | 3-Key Controller | RTC-1000 Controller | Inside WxDxH (inches) | Cu. Ft. | Outside WxDxH (inches) | Max Temp | Amps 240/208 | Volts | Watts | NEMA Receptacle | Breaker Required | Ship Wt. Lbs. |
|--------------|-----------|------------------|---------------------|-----------------------|---------|------------------------|----------|--------------|---------|--------|-----------------|------------------|---------------|
| 149GF | \$585 | \$735 | \$835 | 14.5x9 | 0.86 | 26.5x32 | 1700°F | 15/17 | 240/208 | 3,600 | 6-30 | 20/30 | 143 |
| 149GF TLC* | \$690 | \$840 | \$940 | 14.5x9 | 0.86 | 29.5x32x33 | 1700°F | 15/17 | 240/208 | 3,600 | 6-30 | 20/30 | 153 |
| 1414GF | \$910 | \$1,060 | \$1,160 | 14.5x13.5 | 1.4 | 26.5x36.5 | 1700°F | 20/23 | 240/208 | 4,800 | 6-30 | 30 | 160 |
| 189GF | \$795 | \$945 | \$1,045 | 17.5x9 | 1.3 | 29.5x32 | 1700°F | 18/20 | 240/208 | 4,320 | 6-30 | 30 | 175 |
| 189GF TLC* | \$955 | \$1,105 | \$1,205 | 17.5x9 | 1.3 | 32x32x33 | 1700°F | 18/20 | 240/208 | 4,320 | 6-30 | 30 | 205 |
| Square 189GF | \$1,100 | \$1,250 | \$1,350 | 18x18x9 | 1.69 | 28x28x32 | 1700°F | 18/20 | 240/208 | 4,320 | 6-30 | 30 | 193 |
| 1814GF | \$990 | \$1,140 | \$1,240 | 17.5x13.5 | 1.97 | 29.5x36.5 | 1700°F | 25/28 | 240/208 | 6,000 | 6-50 | 40 | 250 |
| 1814GF TLC* | \$1,145 | \$1,295 | \$1,395 | 17.5x13.5 | 1.97 | 32x32x36.5 | 1700°F | 25/28 | 240/208 | 6,000 | 6-50 | 40 | 300 |
| 239GF | \$1,065 | \$1,215 | \$1,315 | 23 3/8 x 9 | 2.33 | 35x32 | 1700°F | 30/34 | 240/208 | 7,200 | 6-50 | 40/50 | 224 |
| 239GF TLC* | \$1,225 | \$1,375 | \$1,475 | 23 3/8 x 9 | 2.33 | 38x32x32 | 1700°F | 30/34 | 240/208 | 7,200 | 6-50 | 40/50 | 292 |
| 2314GF | \$1,225 | \$1,375 | \$1,475 | 23 3/8x13.5 | 3.5 | 35x36.5 | 1700°F | 37/42 | 240/208 | 8,800 | 6-50 | 50/60 | 279 |
| 2314GF TLC* | \$1,380 | \$1,530 | \$1,630 | 23 3/8x13.5 | 3.5 | 38x32x36.5 | 1700°F | 37/42 | 240/208 | 8,800 | 6-50 | 50/60 | 309 |
| 289GF | \$1,405 | \$1,555 | \$1,655 | 28 1/4x9 | 3.33 | 42x33 | 1700°F | 31/35 | 240/208 | 7,440 | 6-50 | 40/50 | 309 |
| 2814GF | \$1,545 | \$1,695 | \$1,795 | 28 1/4x13.5 | 5 | 42x37.5 | 1700°F | 40/46 | 240/208 | 9,600 | 6-50 | 50/60 | 381 |
| 209GF | \$1,330 | \$1,480 | \$1,580 | 30x20x9 | 2.6 | 41x29x33 | 1700°F | 30/34 | 240/208 | 7,200 | 6-50 | 40/50 | 216 |
| GF2 TLC* | \$1,275 | \$1,425 | \$1,525 | 20x20x9 | 2.08 | 36x35x31.5 | 1700°F | 24/28 | 240/208 | 5,760 | 6-50 | 30/40 | 250 |
| GF214 TLC* | \$1,595 | \$1,745 | \$1,845 | 20x20x13.5 | 3.12 | 36x35x36 | 1700°F | 30/34 | 240/208 | 7,200 | 6-50 | 40/50 | 300 |
| GF3 TLC* | \$1,545 | \$1,695 | \$1,795 | 25x25x9 | 3.33 | 39.5x38.5x31.5 | 1700°F | 39/40 | 240/208 | 9,360 | 6-50 | 50/60 | 350 |
| GF314 TLC* | \$1,860 | \$2,010 | \$2,110 | 25x25x13.5 | 4.88 | 39.5x38.5x36 | 1700°F | 45/48 | 240/208 | 10,800 | 6-50 | 60 | 400 |
| 2014GF | \$1,490 | \$1,640 | \$1,740 | 30x20x13.5 | 3.95 | 41x29x37.5 | 1700°F | 37/42 | 240/208 | 8,800 | 6-50 | 50/60 | 247 |
| 259GF | \$1,435 | \$1,585 | \$1,685 | 37x25x9 | 3.96 | 50x34x33 | 1700°F | 31/35 | 240/208 | 7,440 | 6-50 | 40/50 | 299 |
| GF5 TLC** | \$2,210 | \$2,360 | \$2,460 | 29x29x9 | 4.4 | 43x44x31.5 | 1700°F | 40/41 | 240/208 | 9,600 | 6-50 | 50/60 | 438 |
| GF514 TLC** | \$2,430 | \$2,580 | \$2,680 | 29x29x13.5 | 6.6 | 43x44x36 | 1700°F | 48/49 | 240/208 | 10,800 | 6-50 | 60 | 488 |
| 2514GF | \$1,595 | \$1,745 | \$1,845 | 37x25x13.5 | 5 | 50x34x37.5 | 1700°F | 40/46 | 240/208 | 9,600 | 6-50 | 50/60 | 383 |
| 309GF | \$2,045 | \$2,195 | \$2,295 | 42x30x9 | 5.5 | 55x39x33 | 1700°F | 40/46 | 240/208 | 9,600 | 6-50 | 50/60 | 356 |
| 3014GF | \$2,315 | \$2,465 | \$2,565 | 42x30x13.5 | 8.25 | 55x39x37.5 | 1700°F | 47/54 | 240/208 | 11,280 | 6-50 | 60/70 | 418 |

*Crating charge on all TLC kilns

** GF5TLC and GF514TLC are equipped with a counter weight lid system.

KILN SHELVES AND POSTS

| Shelf | Dimensions | Shape | Wt. (lbs.) | Price |
|-------------------------------|---------------------|---------------------|------------|---------|
| Hotsie/HB84/HB86/Happy Clam | 6.5 X 6.5 | Square | 2 | \$16.00 |
| 12" Round | 10 x 10 | Round | 3 | 18.00 |
| 129/139/1210 Front Loading | 9 x 7 | Rectangle | 3 | 36.00 |
| 1214 Front Loading | 9 x 12 | Rectangle | 4 | 39.00 |
| 126 Lite/Traveler | 10 x 10 | Square | 4 | 21.00 |
| 14" Half | 12 x 6 | Half Round | 3 | 16.00 |
| 14" Round | 13 x 13 | Round | 4 | 26.00 |
| 14" Square | 13 x 13 | Square | 7.5 | 31.00 |
| 149 Front Loading | 12 x 7 | Rectangle | 4 | 36.00 |
| 1414 Front Loading | 12 x 11 | Rectangle | 5 | 39.00 |
| 18" Half | 15.5 x 7.75 | Half Octagon | 5 | 21.00 |
| 18" Full | 15.5 x 15.5 | Octagon | 10 | 31.00 |
| 18" Square/1818 Front Loading | 16 x 16 | Square | 19 | 42.00 |
| 1823 Front Loading | 16 x 20 | Rectangle | 25 | 47.00 |
| 23" Half | 21 x 10 1/2 | Half Round | 10 | 31.00 |
| 23" | 21 x 21 x 5/8 | Round | 20 | 47.00 |
| GF2/GF214 | 18 x 18 | Square-fiberboard | 10 | 49.00 |
| GF2/GF214 | 18 x 18 | Square-corderite | 21 | 49.00 |
| GF3/GF314 | 23 x 23 | Square-fiberboard | 10 | 68.00 |
| GF3/GF314 | 23 x 23 | Square-corderite | 21 | 68.00 |
| GF5/GF514 | 27 x 27 | Square-fiberboard | 10 | 104.00 |
| GF5/GF514 | 13 x 26-2 per layer | Rectangle-corderite | 36 | 104.00 |
| 28" Half | 26 x 13 | Half Round | 15 | 47.00 |
| 20 Oval | 15.5 x 7.75 | Half Round | 5 | 21.00 |
| 20 Oval | 12 x 16 | Rectangle | 9 | 31.00 |
| 25 Oval | 21 x 10.5 | Half Round | 10 | 31.00 |
| 25 Oval | 11 x 22 | Rectangle | 14 | 36.00 |
| 30 Oval | 26 x 13 | Half Round | 15 | 47.00 |
| 30 Oval | 26 x 13 | Rectangle | 18 | 52.00 |

KILN ACCESSORIES FOR GLASS KILNS

| | |
|--|-----------|
| 3 Phase Wiring | \$105.00 |
| 3 Zone | 130.00 |
| 480 Volt..... | 260.00 |
| Automatic Lid Shut-off | 105.00 |
| Bead Door | 52.00 |
| Castors | 155.00 |
| CE Wiring | 105.00 |
| Ceramic Paper Sq. Ft..... | 4.20 |
| Clamshell Loading | 150.00 |
| Counter Weight Lid System | 210.00 |
| Retrofit Counter Weight Lid System | 300.00 |
| Electro Sitter 3 Key..... | 425.00 |
| Electro Sitter RTC-1000 | 525.00 |
| RTC-1000 Electronic Wall Unit 120 volt | 625.00 |
| RTC-1000 Electronic Wall Unit 30 or 50 amps..... | 860.00 |
| RTC-1000 Electronic Wall Unit 100 amps | 940.00 |
| 3-Phase Option for Wall Unit | 155.00 |
| Flash Arm | 52.00 |
| Guillotine Lift for Front Loading Kilns..... | 155.00 |
| Kiln Wash - 1 lb. | 2.60 |
| Kiln Wash - 5 lbs..... | 7.30 |
| Lid Wedge | 10.00 |
| Observation Hole Plugs..... | 8.50 |
| Pyrometer – Analog w/ Type K Thermocouple | 110.00 |
| Pyrometer – Digital w/ Type K Thermocouple | 140.00 |
| Quartz Porthole (standard kilns only) | 52.00 |
| Type S Thermocouple | 195.00 |
| VentMaster | 415.00 |
| VentMaster Expansion Kit | 195.00 |
| Wood Crating for TLC Kilns | 65.00 net |

(Kiln posts are 1.5" x 1.5" square)

| Posts | Price |
|----------|--------|
| 1/2 Inch | \$1.15 |
| 1 Inch | \$1.60 |
| 2 Inch | \$1.70 |
| 3 Inch | \$2.20 |
| 4 Inch | \$2.70 |
| 5 Inch | \$3.30 |

| Posts | Price |
|---------|--------|
| 6 Inch | \$3.50 |
| 7 Inch | \$3.75 |
| 8 Inch | \$4.10 |
| 9 Inch | \$4.40 |
| 10 Inch | \$4.85 |
| 12 Inch | \$5.70 |

| MODEL | FURNITURE KIT CONTENTS | Kit Price | Add'l. Wt. to Kiln w/Kit (lbs) |
|---------------------|---|-----------|--------------------------------|
| 1210FLE | 2 full shelves, 4 ea - 1/2, 1, 2 inch posts, lb. bag kiln wash, sq. ft. of ceramic paper | \$96.60 | 20 |
| 129FL w/ Bead Door | 2 full shelves, 4 ea - 1/2, 1, 2 inch posts, lb. bag kiln wash, sq. ft. of ceramic paper | 96.60 | 20 |
| 139FL w/ Bead Door | 2 full shelves, 4 ea - 1/2, 1, 2 inch posts, lb. bag kiln wash, sq. ft. of ceramic paper | 96.60 | 20 |
| HOTSIE | 2 full shelves, 4 ea - 1/2, 1, 2 inch posts, lb. bag kiln wash, sq. ft. of ceramic paper | 56.60 | 12 |
| HB84 | 2 full shelves, 4 ea - 1/2, 1, 2 inch posts, lb. bag kiln wash, sq. ft. of ceramic paper | 56.60 | 12 |
| HB86 | 2 full shelves, 4 ea - 1/2, 1, 2 inch posts, lb. bag kiln wash, sq. ft. of ceramic paper | 56.60 | 12 |
| Happy Clam | 2 full shelves, 4 ea - 1/2, 1, 2 inch posts, lb. bag kiln wash, sq. ft. of ceramic paper | 56.60 | 12 |
| 126GF | 2 full shelves, 3 ea - 1/2, 1, 2 inch posts, lb. bag kiln wash, sq. ft. of ceramic paper | 56.15 | 12 |
| 126 Lite | 2 full shelves, 4 ea - 1/2, 1, 2 inch posts, lb. bag kiln wash, sq. ft. of ceramic paper | 56.15 | 10 |
| 146GF | 2 full shelves, 3 ea - 1/2, 1, 2 inch posts, lb. bag kiln wash, sq. ft. of ceramic paper | 72.15 | 18 |
| 146GF TLC | 2 full shelves, 3 ea - 1/2, 1, 2 inch posts, lb. bag kiln wash, sq. ft. of ceramic paper | 72.15 | 18 |
| SQUARE 146GF | 2 full shelves, 4 ea - 1/2, 1, 2 inch posts, lb. bag kiln wash, sq. ft. of ceramic paper | 86.60 | 25 |
| 186GF | 2 full shelves, 3 ea - 1/2, 1, 2 inch posts, lb. bag kiln wash, sq. ft. of ceramic paper | 82.15 | 20 |
| 186GF TLC | 2 full shelves, 3 ea - 1/2, 1, 2 inch posts, lb. bag kiln wash, sq. ft. of ceramic paper | 82.15 | 20 |
| Traveler | 3 full shelves, 4 ea - 2, 4, 7 inch posts, lb. bag kiln wash, 2 sq. ft. of ceramic paper | 106.60 | 30 |
| Square 186GF | 2 full shelves, 4 ea - 1/2, 1, 2 inch posts, lb. bag kiln wash, sq. ft. of ceramic paper | 108.20 | 45 |
| 1214FL w/ Bead Door | 2 full shelves, 4 ea - 1, 3, 5 inch posts, lb. bag kiln wash, sq. ft. of ceramic paper | 113.20 | 22 |
| 149FL w/ Bead Door | 2 full shelves, 4 ea - 1, 3, 5 inch posts, lb. bag kiln wash, sq. ft. of ceramic paper | 107.20 | 22 |
| 1414FL w/ Bead Door | 2 full shelves, 4 ea - 1, 3, 5 inch posts, lb. bag kiln wash, sq. ft. of ceramic paper | 113.20 | 25 |
| 1818FL w/ Bead Door | 2 full shelves, 4 ea - 1-6 inch posts, lb. bag kiln wash, 2 sq. ft. of ceramic paper | 155.00 | 45 |
| 1823FL w/ Bead Door | 2 full shelves, 4 ea - 1-6 inch posts, lb. bag kiln wash, 2 sq. ft. of ceramic paper | 165.00 | 75 |
| 149GF | 2 full shelves, 3 ea - 1/2, 1, 2 inch posts, lb. bag kiln wash, sq. ft. of ceramic paper | 72.15 | 12 |
| 149GF TLC | 2 full shelves, 3 ea - 1/2, 1, 2 inch posts, lb. bag kiln wash, sq. ft. of ceramic paper | 72.15 | 12 |
| 1414GF | 2 full shelves, 3 ea - 1/2, 1, 2 inch posts, lb. bag kiln wash, sq. ft. of ceramic paper | 72.15 | 21 |
| 189GF | 2 full shelves, 3 ea - 1/2, 1, 2 inch posts, lb. bag kiln wash, sq. ft. of ceramic paper | 82.15 | 21 |
| 189GF TLC | 2 full shelves, 3 ea - 1/2, 1, 2 inch posts, lb. bag kiln wash, sq. ft. of ceramic paper | 82.15 | 21 |
| Square 189GF | 2 full shelves, 4 ea - 1/2, 1, 2 inch posts, lb. bag kiln wash, sq. ft. of ceramic paper | 108.60 | 48 |
| 1814GF | 2 full shelves, 3 ea - 1/2, 1, 2 inch posts, lb. bag kiln wash, 2 sq. ft. of ceramic paper | 86.35 | 31 |
| 1814GF TLC | 2 full shelves, 3 ea - 2, 4, 6 inch posts, lb. bag kiln wash, 2 sq. ft. of ceramic paper | 96.70 | 31 |
| 239GF | 2 full shelves, 3 ea - 2, 4, 6 inch posts, lb. bag kiln wash, 3 sq. ft. of ceramic paper | 145.50 | 50 |
| 239GF TLC | 2 full shelves, 3 ea - 2, 4, 6 inch posts, lb. bag kiln wash, 3 sq. ft. of ceramic paper | 145.50 | 50 |
| 2314GF | 2 full shelves, 3 ea - 2, 4, 6 inch posts, lb. bag kiln wash, 4 sq. ft. of ceramic paper | 149.70 | 50 |
| 2314GF TLC | 2 full shelves, 3 ea - 2, 4, 6 inch posts, lb. bag kiln wash, 4 sq. ft. of ceramic paper | 149.70 | 50 |
| 289GF | 2 half shelves, 3 ea - 1/2, 1, 2 inch posts, lb. bag kiln wash, 4 sq. ft. of ceramic paper | 126.75 | 41 |
| 2814GF | 2 half shelves, 3 ea - 2, 4, 6 inch posts, lb. bag kiln wash, 5 sq. ft. of ceramic paper | 235.30 | 71 |
| 209GF | 1 layer of oval shelving, 10 ea - 1/2, 1, 2 inch posts, lb. bag kiln wash, 3 sq. ft. of ceramic paper | 132.70 | 31 |
| GF2TLC | 2 full shelves, specify cordierite or smooth ceramic fiberboard, 4 ea - 1 & 3 inch posts, lb. bag kiln wash, 2 sq. ft. of ceramic paper | 124.20 | 70/48 |
| GF214TLC | 3 full shelves, specify cordierite or smooth ceramic fiberboard, 4 ea - 1, 3 & 5 inch posts, lb. bag kiln wash, 6 sq. ft. of ceramic paper | 203.20 | 108/75 |
| GF3TLC | 2 full shelves, specify cordierite or smooth ceramic fiberboard, 4 ea - 1 & 3 inch posts, lb. bag kiln wash, 4 sq. ft. of ceramic paper | 170.60 | 55/77 |
| GF314TLC | 3 full shelves, specify cordierite or smooth ceramic fiberboard, 4 ea - 1, 3 & 5 inch posts, lb. bag kiln wash, 10 sq. ft. of ceramic paper | 277.00 | 101/68 |
| GF5TLC | 4 rectangle or 2 full shelves - specify cordierite or smooth ceramic fiberboard, 4 ea - 1 & 3 inch posts, lb. bag kiln wash | 259.60 | 86/60 |
| GF514TLC | 6 rectangle or 3 full shelves - specify cordierite or smooth ceramic fiberboard, 4 ea - 1, 3 & 5 inch posts, lb. bag kiln wash | 397.60 | 130/72 |
| 2014GF | 2 layers of oval shelving, 10 ea - 2, 4, 6 inch posts, lb. bag kiln wash, 8 sq. ft. of ceramic paper | 261.20 | 72 |
| 259GF | 1 layer of oval shelving, 10 ea - 1/2, 1, 2 inch posts, lb. bag kiln wash, 4 sq. ft. of ceramic paper | 161.90 | 66 |
| 2514GF | 2 layers of oval shelving, 10 ea - 2, 4, 6 inch posts, lb. bag kiln wash, 10 sq. ft. of ceramic paper | 319.60 | 100 |
| 309GF | 1 layer of oval shelving, 10 ea - 1/2, 1, 2 inch posts, lb. bag kiln wash, 6 sq. ft. of ceramic paper | 219.30 | 80 |
| 3014GF | 2 layers of oval shelving, 10 ea - 2, 4, 6 inch posts, lb. bag kiln wash, 8 sq. ft. of ceramic paper | 442.80 | 128 |

OLYMPIC COMMERCIAL GLASS FUSING KILNS

| MODEL | RTC-1000 Controller | Inside WxDxH (inches) | Cu. Ft. | Outside WxDxH (inches) | Max Temp | Amps 240/208 1 Phase | Amps 240/208 3 Phase | Watts | Breaker Required 1 Phase | Breaker Required 3 Phase | Ship Wt. Lbs. |
|-----------|---------------------|-----------------------|---------|------------------------|----------|----------------------|----------------------|--------|--------------------------|--------------------------|---------------|
| GF8 | \$5,156 | 48x24x12 | 8 | 75.5x56x37 | 1700°F | 45/52 | 30/35 | 10,800 | 60/70 | 40/50 | 1,025 |
| GF10 | \$5,375 | 48x30x12 | 10 | 75.5x62x37 | 1700°F | 50/57 | 33/38 | 12,000 | 70/80 | 50 | 1,125 |
| GF12 | \$5,620 | 60x30x12 | 12 | 87x62x37 | 1700°F | 60/69 | 40/46 | 14,400 | 80/90 | 50/60 | 1,200 |
| GF12CS | \$6,180 | 60x30x12 | 12 | 87x61x46 | 1700°F | 60/69 | 40/46 | 14,400 | 80/90 | 50/60 | 1,383 |
| G15 | \$5,985 | 60x36x12 | 15 | 87x68x38 | 1700°F | 70/80 | 46/53 | 16,800 | 90/100 | 60/70 | 1,352 |
| GF17 | \$6,320 | 65x30x15 | 17 | 92x58x49 | 1700°F | 95/105 | 64/70 | 20,154 | 120/140 | 80/90 | 1,457 |
| GF17TLC | \$9,700 | 65x30x15 | 17 | 92x58x49 | 1700°F | 95/105 | 64/70 | 20,154 | 120/140 | 80/90 | 1,557 |
| GF32 BELL | \$16,015 | 96x48x12 | 32 | 115x65x77 | 1700°F | 120/138 | 80/92 | 28,800 | 150/200 | 100/120 | 2,095 |

| MODEL | COMMERCIAL GLASS FUSING KILNS FURNITURE KITS | Kit Price | Add'l. Wt. to Kiln w/Kit (lbs) |
|-----------|--|-----------|--------------------------------|
| GF8 | 1 full shelf smooth ceramic fiberboard, 24" x 48" x 1", 8 sq. ft. of ceramic paper, 10 ea. – 2 inch posts, lb. bag of kiln wash | \$168.20 | 136 |
| GF10 | 1 full shelf smooth ceramic fiberboard, 24" x 48" x 1", 10 sq. ft. of ceramic paper, 10 ea. – 2 inch posts, lb. bag of kiln wash | \$176.60 | 136 |
| GF12 | 2 full shelves smooth ceramic fiberboard, 24" x 48" x 1", 12 sq. ft. of ceramic paper, 20 ea. – 2 inch posts, lb. bag of kiln wash | \$317.00 | 225 |
| GF12CS | 2 full shelves smooth ceramic fiberboard, 24" x 48" x 1", 12 sq. ft. of ceramic paper, 20 ea. – 2 inch posts, lb. bag of kiln wash | \$317.00 | 225 |
| GF15 | 2 full shelves smooth ceramic fiberboard, 36" x 48" x 1", 15 sq. ft. of ceramic paper, 20 ea. – 2 inch posts, lb. bag of kiln wash | \$439.60 | 225 |
| GF17 | 2 full shelves smooth ceramic fiberboard, 36" x 48" x 1", 17 sq. ft. of ceramic paper, 20 ea. – 2 inch posts, lb. bag of kiln wash | \$448.00 | 225 |
| GF17TLC | 2 full shelves smooth ceramic fiberboard, 36" x 48" x 1", 17 sq. ft. of ceramic paper, 20 ea. – 2 inch posts, lb. bag of kiln wash | \$448.00 | 225 |
| GF32 BELL | 2 full shelves smooth ceramic fiberboard, 36" x 48" x 1"; 1 full shelf smooth ceramic fiberboard, 24" x 48" x 1", 32 sq. ft. of ceramic paper, 30 ea. – 2 inch posts, lb. bag of kiln wash | \$643.00 | 325 |

KILN ACCESSORIES FOR GLASS COMMERCIAL KILNS

| | | | |
|--|---------------------|---|---------------------|
| 3 Phase Option..... | \$105.00 | RTC-1000 Wall Unit 100 amp..... | 940.00 |
| 3 Zone Option..... | 130.00 | 3-Phase Option for Wall Unit..... | 155.00 |
| 480 Volt..... | 260.00 | Flash Arm..... | 52.00 |
| Automatic Lid Shut-off..... | 105.00 | Floor Elements..... | Call for pricing |
| Castors..... | 185.00 | Observation Hole Plugs..... | 8.50 |
| CE Wiring..... | 105.00 | Pyrometer – Analog..... | 110.00 |
| Ceramic Paper Sq. Ft..... | 4.20 | Pyrometer – Digital w/ Type K Thermocouple..... | 140.00 |
| Clamshell Loading Commercial | | Quartz Rods for Lid Elements..... | Quoted upon request |
| Glass Kilns..... | Quoted upon request | Type S Thermocouple..... | 195.00 |
| Clamshell & Top Loading | | VentMaster (Installed)..... | 415.00 |
| Commercial Kilns..... | Quoted upon request | VentMaster Expansion Kit..... | 195.00 |
| RTC-1000 Wall Unit 30 amp or 50 amp..... | 860.00 | Wood Crating Charge..... | Call for pricing |

KILN SHELVES FOR GLASS COMMERCIAL KILNS

Smooth Ceramic Fiberboard – Solid sheet or cut to fit kiln's interior dimensions

(This shelving ships only with kiln shipments)

24" x 48" x 1"\$115.00

36" x 48" x 1"\$170.00

Shipping weight are estimates only for glass kilns and furniture and may fluctuate by 10% or more.

All prices are subject to change without notice and are F.O.B. Flowery Branch, GA.

KILN POSTS – Glass Commercial

(Kiln posts are 1.5" x 1.5" square)

| Posts | Price | Posts | Price |
|----------|--------|---------|--------|
| 1/2 Inch | \$1.15 | 6 Inch | \$3.50 |
| 1 Inch | \$1.60 | 7 Inch | \$3.75 |
| 2 Inch | \$1.70 | 8 Inch | \$4.10 |
| 3 Inch | \$2.20 | 9 Inch | \$4.40 |
| 4 Inch | \$2.70 | 10 Inch | \$4.85 |
| 5 Inch | \$3.30 | 12 Inch | \$5.70 |



Mailing Address: P.O. Box 1347
 Physical Location: 4225 Thurmon Tanner Pkwy. • Flowery Branch, GA 30542
 Sales (800) 241-4400 • Help Line (770) 967-4009 • Fax (770) 967-1196

www.greatkilns.com